

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	75	(alter\$5 or modif\$6 or chang\$5 or updat\$5 or tamper\$5) near5 (usage near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:57
L2	476	(alter\$5 or modif\$6 or chang\$5 or updat\$5 or tamper\$5) near5 ((warranty or service or usage) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:57
L3	18	prevent\$5 same (alter\$5 or modif\$6 or chang\$5 or updat\$5 or tamper\$5) near5 ((warranty or service or usage) near5 date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:58
L4	18	prevent\$5 same ((alter\$5 or modif\$6 or chang\$5 or updat\$5 or tamper\$5) near5 ((warranty or service or usage) near5 date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:00
L5	6	prevent\$5 near20 ((alter\$5 or modif\$6 or chang\$5 or updat\$5 or tamper\$5) near5 ((warranty or service or usage) near5 date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:21
L6	2	"20030093509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23
L7	2	"5375243".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23
L8	1556	adapter near module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:37
L9	1	l8 and (plurality near8 (security near3 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:01

L10	0	l8 and (" acl " near8 (security near3 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:40
L11	1	l8 and (" acl " and (security near3 module))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:40
L12	0	l11 not l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:40
L13	0	l8 and (plurality near8 (security near3 mechanism))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:59
L14	0	l8 and (plurality near8 (security near3 domain))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:59
L15	2	l8 and (" acl " near10 (type or identity))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:00
L16	3	l8 and ((different or multiple or plurality) near8 (security near3 program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:01
L17	2	l16 not l15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:07
L18	1	"6542993".PN.	USPAT; USOCR	OR	ON	2005/12/01 16:05
L19	1	"6243746".PN.	USPAT; USOCR	OR	ON	2005/12/01 16:07
L20	1	"6226745".PN.	USPAT; USOCR	OR	ON	2005/12/01 17:01
L21	1	"6158010".PN.	USPAT; USOCR	OR	ON	2005/12/01 17:01
L22	1	"6542993".PN.	USPAT; USOCR	OR	ON	2005/12/01 17:01

L23	1	"6212633".PN.	USPAT; USOCR	OR	ON	2005/12/01 17:02
L24	1	"5968176".PN.	USPAT; USOCR	OR	ON	2005/12/01 17:03
L25	159	kerberos and " pki "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:08
L26	1	I25 and (generic near5 routines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:09
L27	1	I25 and (mask near8 differences)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:09
L28	0	I27 not I26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:09
L29	25	I25 and " acl "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:12
L30	7	I25 and ((different or plurality or multiple) near8 (authentication adj1 mechanism))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:38
L31	3	I30 and ((mask near5 differences) or abstraction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:41
L32	0	I30 and (map\$5 near8 (uniform near5 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:42
L33	0	I30 and ((uniform near5 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:43

L34	0	I30 and ((common near5 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:43
L35	2	I30 and ((map\$5 or translat\$5 or interpret\$5) near8 mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:44
S1	20	(clustered near10 (data near processing)) and client and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:56
S2	3	(clustered near10 (data near processing)) and client and server and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:23
S3	1	mpm and mal and (krb5 or pki)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:33
S4	1532	mali	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:33
S5	1532	" mali "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:34
S6	1	" mali " and ctsec	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:39
S7	181	((access near program) same layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:42
S8	4	((((access near program) same layer)) and (security near module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:49

S9	0	(consistant near5 interface) and (applications near5 nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:50
S10	0	(consistant near5 interface) same (applications near5 nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 10:51
S11	16	(consistent near5 interface) same (applications near5 nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:04
S12	670	cluster and (security same module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:08
S13	26	(cluster and (security same module)) and (map\$3 near5 parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:17
S14	2	(cluster and (security same module)) and (map\$3 near5 (security same (parameters or futures)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:18
S15	2	(cluster and (security same module)) and (map\$3 near5 (security same (parameters or features)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:20
S16	286	((consistent same interface) same security) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:24
S17	1	((((consistent same interface) same security) and network) and (transparent near (security near mechanism)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 12:25
S18	10	((((consistent same interface) same security) and network) and (transparent same (security near10 features)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 13:46

S19	0	((consistent same interface) same security) and network) and (transparent same (from near10 application))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 13:50
S20	775	client and server and (network near10 security) and (transparent same application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:05
S21	133	(client and server and (network near10 security) and (transparent same application)) and (security near10 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 13:56
S22	78	(client and server and (network near10 security) and (transparent same application)) and (security near10 module) and (security same layers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:02
S23	0	(client and server and (network near10 security) and (transparent same application)) and (security near10 module) and (security same layers) and ((intermediary or adapter) near module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:02
S24	12	((client and server and (network near10 security) and (transparent same application)) and (security near10 module)) and kerberos and PKI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:03
S25	107	(client and server and (network near10 security) and (transparent same application)) AND ((mask\$3 or hid\$4) same complex\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:06
S26	9	((client and server and (network near10 security) and (transparent same application)) AND ((mask\$3 or hid\$4) same complex\$5)) and (((client and server and (network near10 security) and (transparent same application)) and (security near10 module)) and kerberos and PKI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:24
S27	24	(application near10 independent) same (network near security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:46
S28	1	"5768504".PN.	USPAT	OR	OFF	2004/09/20 14:28

S29	1	"5764687".PN.	USPAT	OR	OFF	2004/09/20 14:29
S30	1	"5604803".PN.	USPAT	OR	OFF	2004/09/20 14:31
S31	5	(application near10 independent) same (network near security) and kerberos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 14:59
S32	1	"5923756".PN.	USPAT	OR	OFF	2004/09/20 14:50
S33	0	(application near10 independent) same (network near security) and kerberos and (security near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 15:00
S34	0	((application near10 independent) same (network near security)) and kerberos and (security near5 module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 15:01
S35	5	((application near10 independent) same (network near security)) and kerberos	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 15:01
S36	11828	security same module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 15:01
S37	382	(security same module) and (transparent same security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 15:02
S38	4	((security same module) and (transparent same security)) and (adapter near module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:52
S39	2	(kerberos or pki) and (plugged-in near module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 10:57
S40	1	(kerberos or pki) and ("cluster services" same security)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 11:05

S41	555	(kerberos or pki) and driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 11:05
S42	325	(kerberos or pki) and driver and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 11:06
S43	152	(kerberos or pki) and driver and map\$4 and (security near5 mechanism)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 11:15
S44	152	(kerberos or pki) and (user and group and acl and authenticat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 11:23
S45	24	(kerberos same (version near "5"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 14:34
S46	1	"5325430".PN.	USPAT	OR	OFF	2004/09/21 11:28
S47	1	"5237614".PN.	USPAT	OR	OFF	2004/09/21 11:28
S48	2	"20020129274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 12:24
S49	0	"2005586260.pn.20129274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 12:24
S50	2	"5586260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 12:24
S51	1	"5457797".PN.	USPAT	OR	OFF	2004/09/21 12:24
S52	1	"5241594".PN.	USPAT	OR	OFF	2004/09/21 12:25
S53	1	"5241594".PN.	USPAT	OR	OFF	2004/09/21 12:25
S54	1	"5235642".PN.	USPAT	OR	OFF	2004/09/21 12:25
S55	1	"5235642".PN.	USPAT	OR	OFF	2004/09/21 12:30
S56	1	"5218637".PN.	USPAT	OR	OFF	2004/09/21 12:30

S57	2153	security and dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 14:34
S58	53	(security and dll) and pki and (secret near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/21 14:35
S59	1	"5594869".PN.	USPAT	OR	OFF	2004/09/21 14:37
S60	2	"5586260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/02 07:55
S61	2	"5586260".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 10:30